

G D S T

# First Aid Policy Whole School: Senior School/Prep School

# **Policy Statement**

This policy is designed to promote the health, safety and welfare of pupils, staff and visitors at GDST schools through the provision of first-aid facilities, equipment and trained personnel in accordance to the requirements of the Health and Safety (First Aid) Regulations and relevant DfE guidance.

#### 'First-aid' means:

- (a) in cases where a person will need help from a medical practitioner or nurse, treatment for the purpose of preserving life and minimising the consequences of injury and illness until such help is obtained, and
- (b) treatment of minor injuries which would otherwise receive no treatment or which do not need treatment by a medical practitioner or nurse.

## **School Provision**

The aim of first aid is to save lives and to ensure that minor injuries and illnesses do not escalate into major ones. Therefore, in accordance with good practice, ISI and DfE requirements, the school will ensure that:

- A first aid risk assessment is carried out to ascertain the needs of the school and the level of provision required. It will take into account:
- the number of employees / pupils on the site;
- the location of sites and higher risk parts of the school site; and
- the full range of activities undertaken by staff and pupils on the school premises during the normal school day and, as appropriate, off-site and outside normal school hours, e.g. before / after the school day, at weekends and during the school holidays.

As a minimum, at least one person with an HSE approved 'First Aid at Work' qualification (3-day training) must be present on each identifiably separate school site (Senior and Prep Schools) during the school day. If EYFS children are present, at least one person with a Paediatric First Aid qualification (2-day training) must also be present. It may be sufficient for an 'Emergency First Aider in the Workplace' (1-day training) to be present at other times, e.g. early mornings, evenings, weekends and holidays, when employees are on the site undertaking **low risk** activities, or **low risk** after-school clubs and activities are running however this must be determined by risk assessment. If there is any doubt about the level of risk of the activity, someone with a current 3-day first aid qualification should be present on site. Appropriately qualified and equipped first aiders will accompany all off-site sporting activities, fixtures, matches and events, and educational visits / school trips. All school trips undertaken by Early Years Foundation Stage pupils must be accompanied by at least one person with a Paediatric First Aid qualification.

The necessary first aid equipment and facilities are provided at appropriate locations throughout the School, as well as an adequate number of appropriately qualified First Aiders.

Adequate training and guidance is provided for First Aiders and, where appropriate specialist  $_{1 \text{ of } 11}$ 

Reviewed by: T. Brown J. McManus E.Waites Date: January 2024 Next review: August 2024

first aid training, for example:

- Paediatric First Aid for Early Years Foundation Provision
- Sports First Aid training for PE staff
- Emergency First Aid / First Aid for staff accompanying pupils on lower risk educational visits
- Activity First Aid / Outdoor First Aid / Rescue & Emergency training for staff accompanying
  pupils on higher risk educational visits or visits to remote locations (N.B. This is supplied
  through the specific outdoor activity provider).

All staff are made aware of first aid arrangements and such information is included in the induction process for new staff and during the inset days at the start of each academic year.

**Lists of First Aiders** names, qualifications, locations and contact details are prominently displayed around the school where staff and pupils can see them

Parents are made aware of the school's first aid arrangements and the procedures for informing them if their child has had an accident, sustained an injury or received first aid treatment / medication at school or on an off-site school activity. NB wherever possible the parents of EYFS pupils must be informed on the same day as the accident / treatment.

A **record** is kept on CPOMS of all **first aid treatment** administered by the school nurse/first aiders and all medication administered by school staff.

Staff and visitor first aid is documented on RivoSpheracloud. More serious injuries to pupils are recorded on RivoSpheracloud also, following <u>GDST guidance</u>.

A written record is kept of all accidents and injuries to employees and pupils occurring both on and off the School premises as a result of School activities. Detailed guidance on how and where to do this is given in the 'Accident Recording and Reporting' section on the H&S section of the Hub. (NB Photographs should not be taken of a child's injury or bruising, although it is acceptable to make a record / drawing on a body map). Records will be kept in accordance with the Trust's policy on the retention of documents (for pupils until they are aged 25, and for staff, contractors and visitors for a minimum for five years).

The HSE is informed of injuries that are reportable under RIDDOR without delay. Detailed guidance on how and where to do this is given in the 'Accident Recording and Reporting' section on the H&S section of the Hub.

'Dangerous occurrences' and significant 'near misses' (events that, while not causing harm to a person, have the potential to cause injury or ill health or significant property damage) are recorded on RivoSpheracloud Detailed guidance on how and where to do this is given in the 'Accident Recording and Reporting' section on the H&S section of the Hub.

First-aid and accident reporting arrangements are regularly reviewed.

For more detailed information see the GDST First Aid Policy

# School Practice & Arrangements at the Point of Need

All school employees are expected to use their best endeavours at all times, particularly in emergencies, to secure the safety and welfare of pupils.

## **Senior School**

The member of staff with responsibility for First Aid in the Senior School is the School Nurse.

2 of 11

Reviewed by: T. Brown J. McManus E. Waites Date: January 2024 Next review: August 2024

Employees should report First Aid issues to the Nurse in the first instance. The School Nurse or qualified First Aiders. as part of their responsibilities, will administer first aid in a timely and competent manner, and to organise an injured person's transfer to hospital in the case of an emergency. If the Nurse is not in school, employees should report First Aid issues to the School Office and they will contact a First Aider to handle the situation.

# **Prep School**

The member of staff with responsibility for First Aid in the Prep School is the part-time Prep School Nurse, supported by the full-time School Nurse. Named teaching staff and teaching assistants are First Aid Trained in the Prep School. There are specific members of staff who hold a Paediatric First Aid qualification, in accordance with the rules which govern the EYFS, and. One member of staff holds the three-day first aid qualification. Most other teaching staff and TAs hold a one-day Emergency First Aid qualification which has a paediatric element to the training.

A Risk Assessment will determine the number of first aiders and their training requirements for the school. This will take into account before and after school events, number of employees / pupils on the site, location of sites and any high-risk areas and off-site activities.

There are a wide range of first aid qualifications. Which courses staff should attend will be determined by the minimum requirements set down by the DfE, Trust policy and the Trust's insurers, and the school's first aid needs risk assessment. Detailed guidance is given in the 'First Aid' section on the Hub.

A register of First Aiders must be maintained to ensure that staff undertake refresher training at appropriate intervals, and new First Aiders are appointed as necessary. Copies of training certificates must be kept.

All First Aiders are covered by the Trust's insurance against claims for negligence provided that they are suitably trained, and are carrying out their duties for the school/Trust.

All schools must have systems in place to ensure they are aware of any medical conditions which may require treatment whilst the pupil is in the care of school staff. Initially this information is collected on the Pupil Health Assessment Form which parents complete as part of the admissions process. Schools must have local systems to ensure that the information is regularly updated.

All schools must have documented systems and procedures in place to ensure that all medicines are stored and administered safely. All staff who are authorised to administer medicines will receive training on the procedures, essential precautions, possible side-effects of the medicine and the importance of making appropriate records and informing parents.

The school invites staff to become First Aiders/appointed persons and will provide the necessary training. A register of First Aiders/appointed persons (shown at Appendix C) is maintained, and copies of training certificates are kept.

No child under 16 should be given any medicine without their parent's written consent. Prescribed medicines should only be administered to an Early Years Foundation Stage pupil if it has been prescribed by a doctor, dentist, nurse prescriber or pharmacist prescriber and the parents have given specific written permission for each individual medicine and the reason why it is needed. The pupil's parents must be informed, wherever possible on the same day, if any medicines are administered during the school day.

More guidance is given in the 'Administration of Medicines' protocol available in the Pupil Health and Wellbeing section on the H&S section of the Hub

## First Aid Accommodation

3 of 11

Reviewed by: T. Brown J. McManus E. Waites Date: January 2024 No.

The Education (School Premises) Regulations 1996 requires that schools have a suitable dedicated room for the care and treatment of pupils. It must contain a washbasin, be near a toilet and appropriate for its use as a first aid room. In the Senior School, this is located near the Longton Hall, and in the Prep School, it is located on the ground floor by the cloakroom.

# **First Aid Equipment and Materials**

Detailed information regarding first aid equipment and materials can be found on the <u>GDST Health</u> and <u>Safety Sharepoint</u>

A list of the location of emergency medicines (eg automatic adrenaline injectors / inhalers), defibrillators (AEDs) and first aid equipment, stored in containers marked with a white cross on a green background, should be maintained, and notices alerting people of their locations should be prominently displayed in appropriate areas. **NB** ensure travel first aid kits, kits in minibuses or school vehicles, mobile first aid kits carried by specific personnel, and first aid kits in outlying buildings, e.g. pavilions are included.

The school has three defibrillators. At Senior school, there is one in the main school office. At Prep school, there is one in the school office. At the Sports Ground, there is one in the main pavilion.

The member of staff responsible for the first aid kits in their department should notify the School Nurse when supplies have been used in order that they can be restocked without delay.

The School Nurse will make arrangements for the regular checking and re-stocking of all the first aid kits, and making appropriate records. Additional supplies are available from her if necessary.

All First Aiders should be aware of and implement the guidance on infection control which can be found in the 'Pupil Health and Wellbeing' section on the H&S section of the Hub.

First aid containers marked with a white cross on a green background are sited in the following areas:

## **Senior School**

Senior medical room- box & multiple bags

Main office-in the cupboard

Kitchen-on the window ledge

Staff room-on left by the bins as you come in the door

Chemistry-on the shelf in prep room

Physics-in the prep room by the window

Biology-on the shelf in the prep room

Sixth form lab- on the shelf behind the door

Art studio-on the shelf behind the teacher's desk

Centenary building-in the Maths office

DT-near the sink in the workshop

Cookery room-on the window ledge nearest the door

Performing arts office-on the shelf

PE office-4 kits & one on Astroturf in cupboard

Sixth form-on the top of the filing cabinet in the head of sixth form's office Data and Finance office-on top of

cupboard

## Prep School:

Medical room

Library

Date: January 2024

Science room-in wall cupboard

Kitchen-by the window

Staff room

Reception class-on the shelf by the door to the playground

Next review: August 2024

On windowsill by door to

playground near Year 2

4 of 11

Reviewed by: T. Brown J. McManus E. Waites

# Library-on the shelf in the library office

First Aid Kits are in all the minibuses

2 First Aid Kits are at the Sports ground

-----

# School Procedures in the Event of an Emergency

Examples of emergencies which require immediate first-aid assistance and/or an ambulance include:

- o · Stroke
- Severe allergic reactions and anaphylaxis
- Asthma attacks
- Difficulty in breathing / choking
- Seizures
- Fainting / collapse
- o · Diabetic emergency, eg hypoglycaemia
- Severe bleeding
- Severe burns
- Breaks or sprains
- Head injury and concussion
- Effects of severe self-harm
- Hypothermia / heat exhaustion
- Cardiac arrest / severe chest pain

Schools should ensure that all staff and pupils are aware of the procedures to take in the event of a first aid emergency, e.g. by including advice along the lines below in staff and pupil handbooks:

Inform a member of staff and ask for immediate first aid assistance

If you witness an incident and the injured person is well enough to walk, take them to the medical room. If the School Nurse is not there send a message to Reception to ask them to contact a First Aider. Do not leave the person unattended.

If you witness an incident and the injured person does not seem able to move, do not try to move them; stay with them and ask for immediate help from a First Aider.

If a First Aider is not available, or the situation requires urgent medical assistance, do not hesitate to call an ambulance by dialling 999 from any mobile or land-line telephone.

Date: January 2024

Next review: August 2024

Further information on the action to take in the event of anaphylaxis, asthma attacks, seizures and hypoglycaemia/hyperglycaemia can be found in the 'Chronic / Long term Illness' and 'Allergies' Protocols, available in section 4 of the 'Pupil Health and Wellbeing' section of on the H&S section of the Hub.

# School Procedures for Non-Emergency Situations / unwell pupils

It is assumed that all pupils attending the school are sufficiently healthy and fit to cope with the school day without leaving lessons for medical attention. The First Aiders are there for accidents, emergencies and illnesses that occur during the course of the school day.

Parents and pupils are made aware of the procedures to follow if a pupil is not well enough to attend school, or if they become ill at school and need to be taken home.

Parents of pupils in the EYFS section of the school are made aware of the procedures for caring for unwell or infectious pupils whilst at school.

If a pupil is too unwell to remain in school, the Nurse or the School Office will contact their parents to make arrangements for them to be taken home, or to inform parents that the pupil needs to be taken to hospital. Any pupil who has had an accident requiring urgent medical treatment will be taken by ambulance to a local A&E Department or to a minor injuries clinic. The parents will be informed as soon as practicable by a member of staff.

Further information on infection control can be found in section 6 of the 'Pupil Health and Wellbeing' section of H&S section of the Hub.

# **Accident Reporting**

All accidents must be documented. Practical departments in the school must keep their own log of accidents. All serious accidents should be reported immediately to:

- Head
- School Nurse, Senior School medical room or Prep School via School Office or first aider on duty
- Health & Safety Coordinator

All dangerous occurrences or near misses should be reported to:

- Head
- Health & Safety Coordinator

Accident reporting is done as follows:

- CPOMS CPOMS entries are kept for all medical notes and contain every interaction between the Nurse and a pupil. If the Nurse is unavailable, the first aider in attendance should document on CPOMS in the Medical Issues - First Aid section Teaching staff with queries should speak directly with the Nurse. The Nurse may choose to record certain interactions that are confidential matters, using the Nurse's Notes tab of CPOMS to do so.
- Online Accident Reporting using RIVO/Sphera:- For all accidents to employees, pupils, contractors and visitors which result in injury however minor. May also be used for reporting incidents, near misses and work-related health problems. The online forms are completed by the Nurse, the Director of Operations & Finance or RivoSperacloud trained staff, and are viewed by Trust Health & Safety Advisers. Statistical reports are anonymised for reporting to Health & Safety Committee, etc.
- RIDDOR F2508 form A RIDDOR report will be made by the Director of Operations & Finance
  or the School Nurse through the online accident reporting program if an accident to an
  employee results in a major injury or seven days or more incapacity for work or a trip
  directly to hospital, or if an accident to a pupil or member of the public results in a trip to

Date: January 2024

Next review: August 2024

6 of 11

hospital and arises out of the School's activities. The RIDDOR report should be completed as soon as possible, and must be completed within 10 days of the incident (15 days if it is an over 7-day incident). The online HSE report reference number must be added to the RIVO/Sphera report in the 'RIDDOR reported' box.

Parents are contacted by phone as soon as any pupil has visited the Medical Room following a RIVO/Sphera reportable accident or all head injuries. If the condition does not improve, parents will be called and asked to arrange collection. If an ambulance is required, the pupil should be escorted to hospital by an available member of staff, and parents asked to meet their daughter at the hospital.

INSIGNIFICANT INJURIES to PUPILS							
Category		Examples	First Aid Treatment	Records			
1	Superficial	<ul> <li>Paper cuts</li> <li>Small splinters</li> <li>Gentle 'bumps' during playground games</li> </ul>	'Rub it better' No first aid treatment required May be seen by School Nurse	CPOMS (only if seen by School Nurse, otherwise no records required)			
2	Minor	<ul> <li>Minor cuts and grazes</li> <li>Minor burns</li> <li>Minor impact injuries</li> <li>Minor sprains</li> </ul>	Can be effectively treated by a <b>first aider</b> , e.g. application of a plaster or ice pack	CPOMS			

SIGNIFICANT INJURIES to PUPILS							
Category	Examples	First Aid Treatment	Records				
3 Moderate	<ul> <li>Head injuries</li> <li>More serious cuts &amp; grazes</li> <li>More serious impact injuries</li> <li>More serious strains/sprains</li> <li>Moderate burns</li> <li>Injuries with associated swelling, pain and tenderness</li> <li>Allergic reactions</li> </ul>	Assessment and treatment by school nurse as expert advice needed re nature of treatment and / or ongoing management of injury required  If the injured person goes to hospital / GP / dentist for a check-up as a precaution, but does not receive any treatment, then injury should be classified as 'Moderate'  X-rays and scans are diagnostic tests and are not classified as 'treatment'					

Date: January 2024

Next review: August 2024

4	Severe	Broken/fractured bones Injury resulting in several days off work/school		Cross ref on CPOMS and RIVO/Sphera
		More serious burns Allergic reactions	X-rays and scans are diagnostic tests and are not classified as 'treatment'	
5	Life changing / Fatality	<ul> <li>Permanent disability</li> <li>Amputation</li> <li>Life changing injury</li> <li>Fatality</li> </ul>	',' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	Cross ref on CPOMS and RIVO/Sphera

Accidents occurring on school trips must be reported on the relevant forms as soon as possible on return to School, a paper form can be completed whilst on the trip, but the information must be transferred onto the correct electronic system as soon as practicable.

# **EYFS Accident Reporting to Parents**

Parents are informed of any accident or injury sustained by the child on the same day, and any first aid given.

# Hygiene Procedures for Dealing with Spillages of Body Fluids

Employees should ensure that any spillages are dealt with quickly and safely. Spillages should be disinfected properly and the surface on which the spillage occurs should be taken into account, e.g. carpet / hard surface. The area should be quickly blocked off. Protective clothing e.g. gloves should be worn. All materials used to clear the area must be disinfected or destroyed.

# **Dealing with Particular Medical Conditions**

#### Asthma

# The Asthma Attack - What to Do

When dealing with an asthma attack, the main aim is to ease the breathing and if necessary get medical help. Pupils with asthma learn from their past experience of attacks; they usually know just what to do and will probably carry the correct emergency treatment. If a pupil becomes breathless and wheezy or coughs continually: -

Keep calm. It is treatable. Call the Nurse or first aider. Reassure the pupil.

Let the pupil sit down in the position she finds most comfortable. Do not make her lie down.

Ensure the reliever medicine, (usually the blue container) is taken promptly and properly.

- Wait five minutes. Reassure all the time.
- If the symptoms disappear the pupil can go back to what she was doing.
- If the symptoms have improved but not completely disappeared, call the parents and give another dose of the inhaler.
- If the pupil's inhaler is not in school, use the school emergency inhaler if the pupil has consent.

## Signs of a Severe Asthma Attack

Any of these signs means severe.

- Normal reliever inhaler does not work
- The pupil is breathless enough to have difficulty in talking normally
- Blue tingeing around the mouth

8 of 11

- Rapid breathing
- If you have ANY doubts about the pupil's condition, take the following action.

#### A Severe Asthma Attack - What to Do

- Keep trying the reliever inhaler every 5–10 minutes. Do not worry about possible overdosing.
- Call an ambulance. A member of staff should accompany the pupil for reassurance.
- Notify the parents or emergency contact. Arrange for them to meet their daughter and member of staff at the hospital.
- Continue to reassure the pupil and if possible have the current annual consent form and Care Plan ready to give to the ambulance crew.

#### Diabetes

Children with diabetes need encouragement, understanding, and support to ensure a sense of independence. As a general rule, most children will have a very good idea of how to manage their condition, and do so very well. It is therefore important to listen to their needs.

### HYPOGLYCAEMIA (Low Blood Sugar)

Hypoglycaemia (hypo) is the most common short-term complication in diabetes and occurs when the blood glucose level falls too low. This is especially likely to happen before meals.

Hypo happens very quickly but most children have warning signs that will alert them, or people around them, to a hypo.

Watch out for: Excessive sweating, faintness, paleness, headache, tingling lips, pounding of

the heart, blurred vision, hunger, irritability, lack of concentration, personality

change, difficulty waking

What to do: Contact the Nurse/First Aider

Give sugar or food containing sugar (e.g. three glucose tablets or a drink with two tsps. sugar followed by biscuits, a yogurt or a sandwich - improvement

within 15 minutes)

If available, put Glycogel on the inside of the cheeks and gently massage them

on outside (as per packet/Health Care Plan instructions) Do not give Glycogel or fluid if person is unconscious

If unconscious put into the recovery position

Dial 999 & contact parents

Always turn off an insulin pump if used

Causes

Too much insulin
Not eating enough food
Unusual amount of exercise

Delayed meal Stress Hot weather

#### HYPERGLYCAEMIA (High Blood Sugar)

This develops much more slowly than Hypoglycaemia but can be more serious if untreated. Ketoacidosis, a condition that can occur when there is too little insulin present in the body can occur. It is unlikely to be a problem in school but it is helpful if staff are aware of the symptoms; it may also be noticeable if a pupil is away on a school trip for any length of time.

# Stage 1 -

Very thirsty, passing a lot of urine, feeling tired and weak, small amount of ketones in the urine, blood sugar level 15mmol/l or above

# Stage 2 – ketosis

As above + nausea & vomiting, abdominal pain, deep rapid breathing, breath smelling of acetone, moderate to large amounts of ketones in urine, drowsiness, unconsciousness

What to do Inform the Nurse/First Aider

9 of 11

Reviewed by: T. Brown J. McManus E. Waites Date: January 2024 Next review: August 2024

Do more frequent testing-either urine or blood test.

Test urine for ketones, give fluids without sugar if able to swallow, pupil may be able to give themselves insulin injection.

Call 999

Contact parents

#### Causes

too little or no insulin

eating more carbohydrates than diet allows for

infection fever

emotional stress

less exercise taken than usual.

For good blood sugar control, diabetics are advised NEVER to miss an insulin injection

## **Epilepsy**

Most seizures happen without warning, last only a short time and stop without any special treatment. Injuries can occur, but most people do not come to any harm in a seizure.

# **Emergency Management for Epilepsy**

AIM: To protect the patient from injury and ensure that the airway is kept clear during unconsciousness. To reassure and give care when consciousness is regained. It is important to keep calm. Note the time the seizure <u>starts</u>

# Call for help - another pupil can contact the Nurse/Duty First Aider

Protect the casualty.

Ask bystanders to move away

Maintain their dignity

Remove potentially dangerous items/loosen tight neckwear and remove

spectacles.

Protect the pupil's head by placing a pillow under the head.

Turn head to side if possible to maintain clear airway.

DO NOT:- Put anything in the mouth.

Restrain or restrict movements during the seizure.

Move, unless in danger.

Give anything to eat or drink until fully recovered and alert

# When the seizure has ceased

Check for breathing.

If breathing present: - turn into the recovery position Continue to monitor response, pulse & breathing

If breathing not present – be ready to give CPR

Reassure - if patient seems confused, tell them what happened

Check for Injury – apply first aid if necessary

Observe and stay with patient until recovery complete

Accompany to Medical Room & offer assistance if any incontinence etc.

Notify parent/quardian

## Complete relevant documentation

## IT IS A MEDICAL EMERGENCY AND MEDICAL ASSISTANCE SHOULD BE SOUGHT IF:-

Someone has injured themselves badly in a seizure

They have trouble breathing after a seizure

One seizure immediately follows another or the seizure lasts more than five minutes and you do not know how long they usually last

The seizure continues for longer than usually for that person

This is the first seizure for the person

Not all seizures are the same therefore it is useful if observations can be made.

10 of 11

Reviewed by: T. Brown J. McManus E. Waites Date: January 2024 Next review: August 2024

#### **OBSERVATIONS**

How did the seizure begin? Was there an aura?

Is the onset generalised (whole body) or localised (just one part)? Was there any loss of consciousness, or altered awareness?

Are there any convulsive movements?

Did the pupil bite their tongue or pass urine during the attack?

How long did the seizure last, and if more than one, what was the time interval in between? What is the condition of the pupil afterwards? Did they need to sleep?

## Any other observations?

#### \*SEIZURE IN WATER

Watch for loss of coordination, possible involuntary movement of head, poor direction – may veer off course.

Management – approach from behind, ensure head is kept above water, tow pupil to shallow water, after attack assist pupil out of water to the side of the pool. First aid as above.

# Classroom Management for Epilepsy

Staff will be aware of all epileptics. Communication with the school nurse and parents will ensure adequate support is provided. It is advisable for staff to ascertain from the pupil if s/he has informed her peers of her epilepsy and their degree of knowledge.

#### **Absence Seizures**

Understanding and a matter-of-fact approach are all that is needed.

Staff should be aware of the need for the pupil to catch up on any information missed during the seizure.

Other pupils may not be aware that anything has happened.

# **Tonic-Clonic Seizure**

Calmly reassure the rest of the class and ask them to move away from the pupil having the seizure. Whenever possible move the class out of the room.

Only move the pupil if there is a danger of sharp or hot objects or electrical appliances.

Send for the School Nurse/First Aider and request a pillow and blanket.

Follow the first aid guidelines as above.

If this is a regular occurrence, spare clothes should be kept at School in case of incontinence

Staff recognising a pupil with an increasing number of seizures or appearing drowsy, over-active, or inattentive should inform the Nurse.

Further Information and Guidance, see the GDST First Aid section

## **Appendices**

Appendix A:- GDST Guidance on First Aid

Appendix B:- List of First Aiders

Appendix C: <u>GDST Accidents, Near Misses, Dangerous Occurrences - Recording and Reporting Guidance</u>

Next review: August 2024

11 of 11

Reviewed by: T. Brown J. McManus E. Waites Date: January 2024